

New Onset Type I Diabetes After COVID-19 mRNA Vaccination. Potentially Fatal Diabetic Ketoacidosis in Children Ages 5 to 12 Years Old

Adults almost dying after mRNA; 16 cases

By [Dr. William Makis](#)

Global Research, October 04, 2023


[COVID Intel](#)

Theme: [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the Translate Website button below the author's name.

To receive Global Research's Daily Newsletter (selected articles), [click here](#).

Click the share button above to email/forward this article to your friends and colleagues. Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.



Sep. 28, 2023 – 36 year old Australian woman, quadruple vaccinated with first two AstraZeneca and two Pfizer COVID-19 mRNA booster shots – almost died of New Onset Type 1 Diabetes and Diabetic Ketoacidosis 7 weeks after 2nd Pfizer and 4th COVID-19 vaccine.

I was a fit and active person prior to having the 🤢 and the only health issue I had was endometriosis which was being managed under the expert care of a gynaecologist. I have undergone a couple of laparoscopic surgeries in the past to assist with this issue.

My employer mandated 🤢 with three being the minimum required and the fourth being strongly encouraged. At that stage I had no particular view about the 🤢 as I had not done any research and had not heard of any 🤢-related injuries.

I had my first 🤢 in March 2021 and experienced no side effects.
I had my second 🤢 in June 2021. Immediately after the second 🤢 my periods stopped completely for over three months. This was highly abnormal as, due to my endometriosis, I would commonly have a period every two weeks.

I saw my gynaecologist who scheduled another laparoscopic surgery. She was shocked to discover that the endometrial tissue had spread all over my bowel and bladder, something which is highly unusual and quite serious.

At that stage, I did some research and started to suspect that the 🤢 had caused this rapid escalation of my endometriosis and decided not to have another 🤢. Instead, for my 🤢 which I had on 3rd of December 2021, I elected to have the 🤢. After the 🤢 I started experiencing strange symptoms including neck and throat pain, and severe abdominal cramps. When I saw my GP, she arranged for a scan of my thyroid. This showed a lot of inflammation, but she had no other idea what the problem could be.

I arranged for my father come over to drive me to the clinic to get the prescription. When he arrived he took one look at me and said, "You need to go to hospital, you look awful". I waved that off and he took me to the doctor who gave me an intramuscular injection for the gastro. After that, my father kept insisting that I should go to the hospital and eventually I gave in and let him drive me there.


After a three hour wait, I was eventually seen but was not happy with the way my case was handled. I did not think that they showed appropriate concern for my wellbeing.


They admitted me for tests and later that night (25th August) they diagnosed me with diabetic ketoacidosis. This condition arises when the body breaks down fat to use for energy. Breakdown of the fat releases ketones, which can build up in the blood and cause it to become acidic. It is a very serious complication of Type 1 diabetes.

I was released from hospital on 6 September 2022 then took an additional two weeks off work to recover and start getting used to my dramatically altered life.

My new daily routine includes constant glucose monitoring after every time I eat and multiple insulin injections every day. I have had to dramatically alter my diet and change my exercise habits in order to survive. Lots of planning is required and spontaneity is now a thing of the past. Although I am back at work, the number of sick days I take have increased significantly. I sometimes suffer hypoglycaemic attacks whilst visiting clients which is very alarming and dangerous.

I am convinced that the 🤢 created an inflammatory response in my pancreas which subsequently triggered the Type 1 diabetes. I am pursuing a compensation claim with the government and have also joined the 🤢 Injury Class Action.





jab_injuries_australia


jab_injuries_australia Due to the nature of her employment and her fear of any reprisals, this person wants to remain entirely anonymous.


Her employer mandated three 🤢 and 'strongly encouraged' the fourth. Because she had no preconception of their safety or otherwise, and to keep her job, she complied.

After the second 🤢 she started to notice unusual health symptoms and realised that something was not right. **Now this previously fit and healthy 36-year-old's life is dramatically changed.**

She wants to tell her story to raise awareness that 🤢 injuries are very real and also to highlight her injury is one that has not been widely reported.
If this story resonates with you or anyone you know, leave your comments as she would be most interested to know about other similar cases.

1,682 likes
5 DAYS AGO


Add a comment...

On the 4th of July 2022, I went for my fourth 🤢 (P). I left to go overseas on holiday the following day and while I was on holiday, I experienced more strange symptoms. These included:

- fatigue requiring me to have daily naps
- abdominal and chest pain
- shortness of breath
- excessively dry mouth
- dizziness and blurred vision

Since I was in a foreign country at the time, I put these symptoms down to a change in diet, possibly a reaction to my acne medication or maybe low iron. The extreme dry mouth caused me to drink a lot more than normal and subsequently urinate more as well. When I returned from overseas, I booked a GP appointment.

On the 24th of August I started vomiting violently and I changed my GP appointment to a telehealth call as I felt too unwell to leave the house. She suggested that I may have gastro and she asked if I wanted her to send me a script or whether I would be able to go to collect it. I opted to go to collect it.

The doctor told me that if I had not been young and fit, and if I had delayed getting diagnosed by even one more day, I would likely have died. Blood tests showed that my renal (kidney) function was all over the place. It is very rare for a healthy adult to suddenly develop diabetic ketoacidosis without warning. It usually needs to be triggered by something. In my opinion, this trigger was the 🤢.

I was placed in ICU in a very precarious state of health and remained there for five days before returning to a ward for a further eight days. I met with an endocrinologist while in hospital. She stated in writing that as there was no family history of diabetes or autoimmune disease, and because the onset of the Type 1 diabetes matched up with the time frame of my 🤢, there was a possibility that my condition was caused by the 🤢. She was however, deliberately vague in this quasi admission. The hospital discharge paperwork also drew no conclusions and merely documented the timeline of the 🤢 versus the onset of the diabetes.

[VAERS ID 1443487](#) – 12 year old boy

- 12 year old boy from Tennessee had two Pfizer mRNA doses
- One day after his 2nd Pfizer and 23 days after his 1st Pfizer dose he presented with excessive urination, and symptoms of hyperglycemia, was diagnosed with Type 1 Diabetes
- condition described as “life-threatening”

History of Changes from the VAERS Wayback Machine											
Color Schemes (Before/After): <input checked="" type="radio"/> Red/Green <input type="radio"/> Yellow/Blue <input type="radio"/> Orange/Purple <input type="radio"/> Dark Red/Blue											
First Appeared on 7/9/2021											
VAERS ID: 1443487	Vaccinated: 2021-06-11										
VAERS Form: 2	Onset: 2021-06-12										
Age: 12.0	Submitted: 0000-00-00										
Sex: Male	Entered: 2021-07-02										
Location: Tennessee											
<table border="1"><thead><tr><th>Vaccination / Manufacturer (2 vaccines)</th><th>Lot / Dose</th><th>Site / Route</th></tr></thead><tbody><tr><td>COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH</td><td>EW0161 / 1</td><td>AR / SYR</td></tr><tr><td>COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH</td><td>EW0177 / 2</td><td>AR / SYR</td></tr></tbody></table>			Vaccination / Manufacturer (2 vaccines)	Lot / Dose	Site / Route	COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EW0161 / 1	AR / SYR	COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EW0177 / 2	AR / SYR
Vaccination / Manufacturer (2 vaccines)	Lot / Dose	Site / Route									
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EW0161 / 1	AR / SYR									
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EW0177 / 2	AR / SYR									
Administered by: School Purchased by: ??											
Symptoms: Blood glucose increased, Glycosylated haemoglobin increased, Hyperglycaemia, Polyuria, Type 1 diabetes mellitus											
Life Threatening? Yes											
Birth Defect? No											
Died? No											
Permanent Disability? Yes											
Recovered? No											
Office Visit (V2.0)? Yes											
ER or Office Visit (V1.0)? No											
ER or ED Visit (V2.0)? Yes											
Hospitalized? Yes, days: 3											
Extended hospital stay? No											
Previous Vaccinations:											
Other Medications: none											
Current Illness: none known... first dose of pfizer vaccine was received on 5/20/2021 and 2nd dose was 6/11/2021... with symptoms of hyperglycemia presenting on 6/12/2021											
Preexisting Conditions: Some headaches											
Allergies: no known allergies											
Diagnostic Lab Data: Glucose in the ER was 300, A1C was 9.1 (date: 6/15/21)											
CDC 'Split Type':											
Write-up: Type 1 diabetes diagnosis... symptoms of hyperglycemia (excessive urination) presented the day after receiving 2nd dose.											

[VAERS ID 2006197](#) – 5 year old boy

- 5 year old Michigan boy had two Pfizer COVID-19 mRNA Vaccines
- 7 days after 2nd dose developed lethargy, increased thirst and urination
- Hospitalized for “life-threatening” and diagnosed with Diabetic Ketoacidosis and Type 1 Diabetes!

This is VAERS ID 2006197

[Government Disclaimer on use of this data](#)

Case Details

VAERS ID: [2006197](#) (history) **Vaccinated:** 2021-12-01
Form: Version 2.0 **Onset:** 2021-12-08
Age: 5.0 **Days after vaccination:** 7
Sex: Male **Submitted:** 0000-00-00
Location: Michigan **Entered:** 2022-01-05

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	FK5618 / 2	AR / SYR

Administered by: School **Purchased by:** ?

Symptoms: [Blood glucose increased](#), [Diabetic ketoacidosis](#), [Increased appetite](#), [Lethargy](#), [Pollakiuria](#), [Thirst](#), [Type 1 diabetes mellitus](#)

SMQs: Hyperglycaemia/new onset diabetes mellitus (narrow), Anticholinergic syndrome (broad), Noninfectious encephalitis (broad), Noninfectious encephalopathy/delirium (broad), Noninfectious meningitis (broad), Hypoglycaemia (broad), Dehydration (broad), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? Yes, 2 days

Extended hospital stay? No

Previous Vaccinations:

Other Medications: None

Current Illness: None

Preexisting Conditions: None

Allergies: None

Diagnostic Lab Data: Blood glucose tested, over 600. 12/20/21 admitted to hospital for DKA and diagnosed with type 1 diabetes

CDC Split Type:

Write-up: Lethargy, increased appetite, increased thirst and urination

[VAERS ID 2320785](#) – 10 year old girl

- 10 year old girl in Washington, had 3 doses of Pfizer COVID-19 mRNA Vaccine
- developed Type 1 Diabetes symptoms 10 days after Pfizer 3rd booster
- described as “life threatening”

Case Details

VAERS ID: [2320785](#) (history) **Vaccinated:** 2022-06-02
Form: Version 2.0 **Onset:** 2022-06-12
Age: 10.0 **Days after vaccination:** 10
Sex: Female **Submitted:** 0000-00-00
Location: Washington **Entered:** 2022-06-15

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	- / 3	- / IM

Administered by: Unknown **Purchased by:** ?

Symptoms: [Blood glucose increased](#), [Glucose urine present](#), [Type 1 diabetes mellitus](#), [Urine analysis abnormal](#)

SMQs: Hyperglycaemia/new onset diabetes mellitus (narrow), Immune-mediated/autoimmune disorders (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No

Office Visit? Yes

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications: none

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: glucose 344 POC urinalysis 3+ glucose

CDC Split Type:

Write-up: patient received COVID 19 booster 10 mcg dose on 6/2/2022, developed type 1 diabetes with symptoms starting on 6/12/22. She presented with blood sugar 344 and 3+ glucose in urine on 6/15/22 at my office. Not in DKA.

In Moderna kids' trial – 1 year old gets Type 1 Diabetes

- [Oct. 21, 2022](#) – Alex Berenson reported in his Substack about the Moderna COVID-19 mRNA Vaccine Children's Trial recording a 1 year old girl developing Type 1 Diabetes and Diabetic Ketoacidosis 37 days after 2nd Moderna dose, [on page 62](#)
- "the other SAE [serious adverse event] considered related was new-onset Type 1 diabetes mellitus and diabetic ketoacidosis in a 1-year-old female reported 37 days post dose 2."

Literature

[2023 Jan – Hyeyeon Moon et al](#) – Adult-Onset Type 1 Diabetes Development Following COVID-19 mRNA Vaccination

- 56F Japanese woman had two doses of Moderna mRNA
- two months later she presented with a 1 week history of thirst, polydipsia, polyuria and weight loss.
- She was diagnosed with Type I Diabetes

[2022 Nov – Rong Lin et al](#) – Fulminant Type 1 Diabetes Mellitus after SARS-CoV-2 Vaccination: A Case Report

- 39F Taiwanese woman had 3 Pfizer mRNA Vaccines.
- 14 weeks after 3rd Pfizer mRNA she presented to hospital with severe nausea and vomiting several times a day, also dyspnea and palpitations
- she had recently been hospitalized with diabetic ketoacidosis
- She was diagnosed with Type 1 Diabetes ketoacidosis.

[2022 Oct – Kobayashi et al](#) – New-onset atypical fulminant Type 1 diabetes after COVID-19 vaccination: A case report

- 59M Japanese man had 2nd dose of Pfizer mRNA
- was admitted to hospital due to general fatigue 15 weeks after 2nd Pfizer dose
- had vomiting, worsening fatigue, difficulty in body movements
- transported to ER with hyperglycemia, blood gas showing severe acidosis, dehydration, prerenal failure
- he was diagnosed with Type I Diabetic ketoacidosis

[2022 July](#) – Aydogan et al – Type 1 diabetes mellitus following SARS-CoV-2 mRNA vaccination

- Turkish researchers report 4 cases of Type 1 Diabetes in the weeks after Pfizer mRNA vaccination
- 56M had two Pfizer mRNA – 15 days after 2nd Pfizer he had fatigue, polyuria, lost 5 kg, ketonuria but not acidosis
- 48M had two Pfizer mRNA – 2 months after 2nd Pfizer he had fatigue, high HbA1c
- 27F had two Pfizer mRNA – 3 weeks after 2nd Pfizer came in with blurred vision, polyuria, polydipsia, weight loss
- 36M had two Pfizer mRNA after 2 doses of CoronaVac – lost 10kg in 15 days, admitted to ER with fatigue, dizziness, dry mouth
- Theory: “molecular mimicry between the SARS-CoV-2 antigens (spike protein) and the human target proteins may be one of the possible underlying mechanisms of the SARS-CoV-2 vaccine-induced islet autoimmunity.”
- “There may be a mild and transient attack on pancreatic β cells induced by the SARS-CoV-2 vaccines through molecular mimicry.”

[2022 Feb – Sakurai et al](#) – Type 1 diabetes mellitus following COVID-19 RNA-based vaccine

- 36F Japanese woman had 1st dose of Pfizer mRNA
- she presented to hospital with a 7 day history of thirst, polydipsia, polyuria, palpitations, loss of appetite, fatigue which started 3 days after 1st Pfizer.
- she was diagnosed with Type 1 Diabetes and Diabetic ketoacidosis and was admitted to hospital.
- Authors cite a paper by [Kanduc et al](#): “Molecular mimicry between SARS-CoV-2 spike glycoprotein and mammalian proteomes: implications for the vaccine” as a possible explanation

[2022 Feb – Sasaki et al](#) – New-onset fulminant type 1 diabetes after severe acute respiratory syndrome coronavirus 2 vaccination: A case report

- 45F Japanese woman had 1st Pfizer mRNA dose
- 8 days after vaccination she was sent to hospital with hyperglycemia, she had

lost 6kg since the vaccination, had metabolic acidosis and diabetic ketoacidosis.

[2022 Jan – Sasaki et al](#) – Newly developed type 1 diabetes after coronavirus disease 2019 vaccination: A case report


- 73F Japanese woman had two Moderna mRNA doses – 4 weeks after 2nd vaccination her glycemic control began to deteriorate
- 8 weeks after 2nd Moderna was diagnosed with new onset Type 1 diabetes strongly positive for autoantibodies

[2022 – Yano et al](#) – New-onset Type 1 Diabetes after COVID-19 mRNA Vaccination

- 51F Japanese woman had 1st dose of Moderna mRNA
- she noticed 3kg weight loss and visited her doctor 12 days after onset of symptoms
- she was referred to hospital 6 weeks after 1st dose of Moderna with tachycardia, dehydration, metabolic acidosis and ketonemia, and was diagnosed with diabetic ketoacidosis.

My Take...

One of my favourite Twitter accounts, Ethical Skeptic, [published Today, Oct.3, 2023](#) an update on USA All Cause Mortality in ages 0-24, which is now at an ALL TIME HIGH since the COVID-19 mRNA Vaccines rolled out, with a 42% excess mortality:



This is exactly what I'm seeing on the ground level. Young people, in this case ages 0-24 which includes children of all ages, are dying at a RECORD LEVEL since the pandemic started!

As I'm going to take a bit of a break from the COVID-19 Vaccine Turbo Cancers killing young people, it is worth asking what else might be contributing to these deaths?

Beyond the heart attacks and the blood clots, there are all types of auto-immune diseases

caused by COVID-19 mRNA Vaccines and the endless immune system aberrations that may be contributing to “mysterious deaths” of young people.

TYPE 1 Diabetes and Diabetic Ketoacidosis. This is one of them.

“The doctor told me if I had not been young and fit, and if I had delayed getting diagnosed by even one more day, I would have likely died.” – 36 year old quadruple COVID-19 Vaccinated Australian woman who ended up in Diabetic Ketoacidosis 7 weeks after her 4th COVID-19 (Pfizer) Vaccine.

How many children and young people have died (from Type 1 Diabetic Ketoacidosis) because they did not seek medical attention in time?

It is interesting to note in VAERS that all the cases of COVID-19 mRNA Vaccinated children getting NEW Type 1 Diabetes diagnosis within weeks of Pfizer or Moderna mRNA Vaccination are all described as “life-threatening” events.

Parents need to wake up and do everything they can to get these Pfizer & Moderna COVID-19 mRNA shots taken off the market immediately!

*

Note to readers: Please click the share button above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Dr. William Makis is a Canadian physician with expertise in Radiology, Oncology and Immunology. Governor General's Medal, University of Toronto Scholar. Author of 100+ peer-reviewed medical publications.

The Worldwide Corona Crisis, Global Coup d'Etat Against Humanity


by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project “destroys people’s lives”. He provides a comprehensive analysis of everything you need to know about the “pandemic” — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

“My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the “deadly” COVID-19 “vaccine”. This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument.”

Reviews

This is an in-depth resource of great interest if it is the wider perspective you are motivated to understand a little better, the author is very knowledgeable about geopolitics and this comes out in the way Covid is contextualized. —Dr. Mike Yeadon



In this war against humanity in which we find ourselves, in this singular, irregular and massive loss of liberty and the goodness of people, Chossudovsky's book is a rock upon which to sustain our fight. —Dr. Emanuel Garcia

In fifteen concise science-based chapters, Michel traces the false covid pandemic, explaining how a PCR test, producing up to 97% proven false positives, combined with a relentless 24/7 fear campaign, was able to create a worldwide panic-laden “plandemic”; that this plandemic would never have been possible without the infamous DNA-modifying Polymerase Chain Reaction test – which to this day is being pushed on a majority of innocent people who have no clue. His conclusions are evidenced by renown scientists. —Peter Koenig

Professor Chossudovsky exposes the truth that “there is no causal relationship between the virus and economic variables.” In other words, it was not COVID-19 but, rather, the deliberate implementation of the illogical, scientifically baseless lockdowns that caused the shutdown of the global economy. —David Skripac

A reading of Chossudovsky's book provides a comprehensive lesson in how there is a global coup d'état under way called “The Great Reset” that if not resisted and defeated by freedom

loving people everywhere will result in a dystopian future not yet imagined. Pass on this free gift from Professor Chossudovsky before it's too late. You will not find so much valuable information and analysis in one place. -Edward Curtin

ISBN: 978-0-9879389-3-0, Year: 2022, PDF Ebook, Pages: 164, 15 Chapters

Price: ~~\$11.50~~ FREE COPY! [Click here \(docsend\) and download.](#)

We encourage you to support the eBook project by making a donation through Global Research's [DonorBox "Worldwide Corona Crisis" Campaign Page](#).

The original source of this article is [COVID Intel](#)
Copyright © [Dr. William Makis](#), [COVID Intel](#), 2023

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Dr. William Makis](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca